



Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC)  $\rm n^{\circ}$  1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 1/10

#### CHAUX TERECHAUX



#### SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: CHAUX TERECHAUX

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Lime for construction.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : CESA (Chaux et Enduits de Saint-Astier). Address : 28 Bis route de Montanceix - La Jarthe.24110.Saint-Astier.France.

Telephone: +33(0)5.53.54.11.25. Fax: +33(0)5.53.04.67.91.

contact@saint-astier.com www.saint-astier.com

#### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation: INRS/ORFILA http://www.centres-antipoison.net.

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).

This substance does not present a physical hazard. Refer to the recommendations regarding the other products present on the site

This substance does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS05

GHS07

Signal Word : DANGER

Product identifiers:

EC 285-561-1 LIME CHEMICAL HYDRAULIC

 $Hazard\ statements:$ 

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements - General:

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P261 Avoid breathing dust

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 2/10

CHAUX TERECHAUX

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...
P332 + P313 If skin irritation occurs: Get medical advice/attention.

Precautionary statements - Disposal:

P501 Dispose of contents/container in accordance with local regulations.

#### 2.3. Other hazards

In use, may form flammable/explosive dust-air mixture.

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

#### Composition:

	Composition (				
I	dentification	(EC) 1272/2008	Note	%	
I	NDEX: 85117_09_5	GHS07, GHS05		100%	
	CAS: 85117-09-5	Dgr			
1	EC: 285-561-1	Skin Irrit. 2, H315			
1	REACH: 01-2119475523-36-0006	Eye Dam. 1, H318			
		STOT SE 3, H335			
1	LIME CHEMICAL HYDRAULIC				

#### SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. description of first aid measures

# In the event of exposure by inhalation:

In the event of massive inhalation of dust, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

N/A

# 4.3. Indication of any immediate medical attention and special treatment needed

N/A





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 3/10

#### CHAUX TERECHAUX

#### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

5.1. Extinguishing media

N/A

5.2. Special hazards arising from the substance or mixture

N/A

5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

N/A

N/A

N/A

N/A

N/A

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

N/A

N/A

N/A

N/A

N/A

## 6.2. Environmental precautions

Prevent any material from entering drains or waterways.

N/A

#### 6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

Retrieve the product by mechanical means (sweeping/vacuuming): do not generate dust.

N/A

N/A

N/A

N/A

#### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the substance is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Provide emergency showers and eye wash stations will be required in facilities where the substance is handled constantly.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 4/10

#### CHAUX TERECHAUX

Avoid inhaling dust.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid eye contact with this substance at all times.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the substance is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

N/A

N/A

N/A

N/A

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

N/A

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

#### Occupational exposure limits:

N/A

N/A

N/A N/A

# Derived no effect level (DNEL) or derived minimum effect level (DMEL):

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Final use: Workers. Exposure method: Inhalation.

Potential health effects: Short term local effects.
DNEL: 4 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 1 mg of substance/m3

Final use: Consumers.

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 4 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 1 mg of substance/m3

#### Predicted no effect concentration (PNEC):

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Environmental compartment: Soil.
PNEC: 1080 mg/l

Environmental compartment: Fresh water.





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 5/10

#### CHAUX TERECHAUX

PNEC:  $490 \mu g/l$ 

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):









Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- PVC (polyvinyl chloride)

Recommended properties:

- Impervious gloves in accordance with standard EN ISO 374-2 (Type A)

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

These clothes shall be chosen to ensure there is no inflammation or irritation of the skin at the neck and wrist by contact with the powder Suitable type of protective clothing:

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### - Respiratory protection

Avoid inhaling dust.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Type of FFP mask:

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

Category:

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- A1 (Brown)





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 6/10

#### CHAUX TERECHAUX

SECTION 9 : PHY	YSICAL AND	CHEMICAL	<b>PROPERTIES</b>

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Powder or dust.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Not stated. Explosive properties, upper explosivity limit (%): Not stated.

Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Self-ignition temperature: Not specified.

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: Not stated.

Strongly basic.

pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Insoluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: >1

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.







Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 7/10

#### CHAUX TERECHAUX

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

N/A

### 10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

N/A

N/A

#### 10.4. Conditions to avoid

Avoid:

- formation of dusts

Dusts can form an explosive mixture with air.

#### 10.5. Incompatible materials

N/A

N/A

### 10.6. Hazardous decomposition products

N/A

N/A

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

#### 11.1.1. Substances

#### Acute toxicity:

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Oral route: LD50 > 2000 mg/kg

Species: Rat

OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)

Dermal route: LD50 < 2500 mg/kg

Species : Rabbit

### Serious damage to eyes/eye irritation:

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Species: Rabbit

#### Germ cell mutagenicity:

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

No mutagenic effect.

OECD Guideline 471 (Bacterial Reverse Mutation Assay)

## Carcinogenicity:

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Carcinogenicity Test: Negative.





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 4.1 (22/08/2022) - Page 8/10

CESA (Chaux et Enduits de Saint-Astier)

# CHAUX TERECHAUX

No carcinogenic effect.

# Specific target organ systemic toxicity - repeated exposure :

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Oral route: C = 36 mg/kg bodyweight/day

Duration of exposure: 90 days

#### 11.2. Information on other hazards

#### SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

N/A

N/A

12.1.1. Substances

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

LC50 = 50.6 mg/lFish toxicity:

Duration of exposure: 96 h

NOEC > 1 mg/l

Crustacean toxicity: EC50 = 49.1 mg/l

Duration of exposure : 48 h

NOEC = 32 mg/l

Duration of exposure: 14 days

Algae toxicity: NOEC > 1 mg/l

Aquatic plant toxicity: ECr50 = 184.57 mg/l

Duration of exposure: 72 h

NOEC = 48 mg/l

Duration of exposure: 72 h

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

LIME CHEMICAL HYDRAULIC (CAS: 85117-09-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

#### 12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Endocrine disrupting properties

No data available.

# 12.7. Other adverse effects

No data available.





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 9/10

CHAUX TERECHAUX

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

.

14.4. Packing group

-

14.5. Environmental hazards

.

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

**SECTION 15: Regulatory information** 

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

Substance not restricted under Annex XVII of Regulation (EC) no. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions:

No data available.

#### 15.2. Chemical safety assessment

No data available.





Manufacturer and supplier of traditional and environmentally-friendly building materials.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) CESA (Chaux et Enduits de Saint-Astier)

Version 4.1 (22/08/2022) - Page 10/10

#### **CHAUX TERECHAUX**

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3:

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

#### **Abbreviations:**

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.